

IN THE CLAIMS:

Please amend claims 1, 4, 5, 6, 8 and 11 and cancel claim 7 as follows:

1. (Currently Amended) A device mounted on the leg for sensing the wearer's foot contact with a surface by the wearer, comprising: an electrical circuit, a ~~vibrator~~ signal generator, a switch, a power supply, said power supply, switch and ~~vibrator~~ signal generator connected to said electrical ~~circuitry~~ circuitry, a strap, said strap for attachment proximate the wearer's knee, said strap attached to said signal generator whereby closing said switch by contacting a surface with the foot will activate said ~~vibrator~~ signal generator to send a signal to the wearer's knee.
2. (Original) The device of claim 1 wherein said power supply comprises a battery.
3. (Original) The device of claim 1 wherein said switch comprises a push button switch of the normally-open type.
4. (Currently Amended) The device of claim 1 wherein said ~~vibrator~~ signal generator is a ~~mobile phone~~ vibrator.

5. (Currently Amended) The device of ~~claim 1~~ claim 2 wherein said battery is a nine volt (9V) battery.
6. (Currently Amended) The device of claim 1 wherein said electrical circuitry comprises a metal conductor, said conductor for delivering electrical current from said power ~~source~~ supply through said switch to said vibrator.
7. (Canceled)
8. (Currently Amended) The device of ~~claim 7~~ claim 1 wherein said strap is a hook and loop fastener material.
9. (Original) The device of claim 1 further comprising a shoe, said switch mounted in said shoe.
10. (Original) The device of claim 9 wherein said switch comprises a push button, said shoe exposing said push button.
11. (Currently Amended) An electrical sensing device for wearing on the leg proximate the knee to signal the wearer at the knee when the foot strikes the ground surface comprising: an electrical conductor, a battery, a push button switch and vibrator, said battery, push button switch, and vibrator connected to

said electrical conductor to form a circuit, a shoe, said switch contained within said shoe, a leg strap, said vibrator positioned on said leg strap, said leg strap attached to the wearer's leg at least at knee height whereby the wearer placing the shoe on the ground closes the switch to activate said vibrator and signal the wearer.

12. (Original) The device of claim 11 wherein said strap is a hook and loop fastener material.
13. (Original) The device of claim 11 wherein said shoe defines an opening in the heel to expose said switch.
14. (Original) The device of claim 11 wherein said battery is affixed to said leg strap.